WATKINS

CASA 1000

Wall Systems & Pavers | Residential & Commercial

3.

CELEBRATING 75 YEARS

Nebraska Built

Watkins Concrete Block Company, Inc. of Omaha, Nebraska was incorporated in 1946, manufacturing only a handful of concrete block products. Today, Watkins is part of a network of block manufacturers throughout the state of Nebraska that are owned by NEBCO, Inc.

Watkins manufactures over 400 items in a variety of shapes, sizes and colors including standard concrete block, segmental retaining wall components and architectural concrete block. Watkins product line also includes concrete and clay pavers, clay face brick, manufactured stone veneer, natural stone, caulking, sealants and a variety of accessory products for both the residential and commercial construction and landscaping markets.

Concrete block and segmental retaining wall components are manufactured on-site at Watkins, just east of the Watkins' Showroom at 144th & Giles. Sand, gravel and cement used in these products come from our sister company Western Sand & Gravel, just down the river in Ashland and Louisville, Nebraska. 98% of the aggregates used to make these products are sourced within 20 miles of Omaha, Nebraska.

The team at Watkins takes great pride in producing the highest quality products, sourced right here in their own backyard. And for these reasons, Watkins is *Nebraska Built*.

Wall Systems	5
Highland Stone [®] Retaining Wall	6
Highland Stone [®] Freestanding Wall	7
Concourse [®] Retaining Wall	8
Concourse [®] Freestanding Wall	9
Diamond [®] 10D Retaining Wall	10
Diamond Pro [®] Retaining Wall	11
Vertica Pro® Retaining Wall	12
Vertica Pro [®] Stone Cut Virtual Joint Retaining Wall	13
Vertica Pro [®] Smooth Retaining Wall	14
Landings™ Step & Granika™ Step	15
Belair Wall [®] 2.0 Retaining & Freestanding Wall	16
Brisa [®] 2.0 Retaining & Freestanding Wall	17
Tandem [®] Ashlar Retaining & Freestanding Wall	18
Tandem [®] Lamina Retaining & Freestanding Wall	19
Weston Stone [®] Wall	20
U Start [™] Base Block	21
Fire Pits & Fire Features	22
Pavers	25
Belgian Cobble®	26
Dublin Cobble®	27
Holland Stone [®]	28
Lafitt™ Rustic Slab	29

Table of Contents

Catalina Grana®	30
Afton™	3
Charleston [™] Tumbled	3:
Elements Paving Stones [™]	34
Tranquility [®] Pavers	3
Grand Discover™	3
Mega Arbel®	3
Urbana [®] Stone	3
Melville [™] Slab	4
Turfstone™	4
Essence™	4
Influence™	4
Mirage [®] - Glocal [®]	4
Mirage® - Verona™	4
Mirage® - Quarziti® 2.0	4
Mirage [®] - Noon [®]	4
Pine Hall®	4
Bullnose Coping & Border Options	5
Landscape Lighting - Tru-Scapes®	5
Retaining Wall & Paver Patio Components	54
Watkins Business Hours	5
Warranty Information	5

Products, colors and sizes may change throughout the year. Colors shown in this catalog may vary from actual product. Please speak with a sales associate or visit watkinsconcreteblock.com for the latest in products and options.



Wall Systems



Natural Collection

With an emphasis on texture, this collection mimics the finest elements Mother Nature has to offer.



Modern Collection

Sleek and simple, this collection will transform your space into a relaxing retreat that will soothe the soul.



Traditional Collection

Classic and timeless, this collection honors the past without sacrificing any style or comfort.



Environmental Collection

With innovative design features, this collection will handle all of your storm water management needs.





Granite

Adobe

6

These retaining wall systems are crafted with multiple block sizes for a rich appearance.

Marble

Mocha

6" Wall System Units:

Moonlight

Large Medium 6" x 18" x 12" 6" x 12" x 12" 75 lbs. 58 lbs.

n

Accessory Units:

White

 Small 6" x 6" x 12" 29 lbs.



Large Step XL Cap 6" x 17³/4" x 15" 124 lbs. 3" x 18" x 12¹/2" / 3" x 12" x 12¹/2" 44 lbs.

watkinsconcreteblock.com



6" Wall System Units:

THE WARES MALL

 Large
 Medium
 Small

 6"x18"x9" / 6 x16"x9"
 6"x12"x9" / 6"x10"x9"
 6"x6"x9" / 6"x4"x9"

 70 lbs.
 45 lbs.
 20 lbs.

6

Accessory Units:

ar Large Step 6" x 17%4" x 15" 124 lbs.

p XL Cap 15" 3" x 18" x 12½" / 3" x 12" x 12½" 44 lbs.

Adobe

Granite

Marble

Mocha

These freestanding wall systems are crafted with multiple block sizes

Anchor™ *Highland Stone*[®] Freestanding Wall System

Moonlight

White

for a rich appearance.





Anchor™

Concourse®

Retaining Wall System

With its simplistic design and modern appearance, Concourse[®] SRW combines a premier aesthetic with contractor-friendly features to meet the needs of any retaining wall project.





Anchor™ Diamond® 10D

Retaining Wall System

The dependable wall system with a beautiful rough-hewn appearance that transitions nicely into the surrounding landscape.





Retaining Wall System

Its time-tested strength makes Diamond Pro[®] retaining wall systems the choice for large-scale projects. The straight-split face provides a clean, crisp appearance.







Retaining Wall System

The deeper block size of near-vertical Vertica Pro[®] retaining wall systems makes them an excellent choice for taller gravity wall applications and for machine installation and compaction.





Anchor™ Vertica Pro[®] Store Cut

Virtual Joint Retaining Wall System

1:1 ratio of virtual joint units to solid-face units creates the look of a multipiece system while providing the installation speed of a single-piece system.







Special Order Item

Anchor™ Vertica Pro® Smooth

Retaining Wall System

Combining the functionality and durability of Vertica Pro[®] with a new contemporary face style, Vertica Pro[®] Smooth opens the door to new design possibilities with a modern flair.

Midnight 8" Wall System Units: Smooth 8" x 18" x 20" 122 lbs. Accessory Units: Comer 8" x 18" x 9" 9 lbs. 3" Cap 12" x 16" x 3%"

14 / watkinsconcreteblock.com



Add grand style to entrances and walkways with its quarried limestone look.

With its textured finish, it easily rivals natural stone alternatives, offering a consistent, durable option for level changes within your landscape.

Blu Iron Moonlight



Ashbury Haze

Cotswold Mist

Belgard® Jranika[™] Step

Gascony Tan

Granika[™] Step Unit 6" x 38" x 16" 237 lbs.



Belgard® Belair Wall® 2.0

Retaining & Freestanding Wall System

Featuring a classic, hand-worked stone appearance, this multi-piece retaining and freestanding wall system provides elegance for any setting.



6" Wall System Units:



Accessory Units:



Cap End 3" x 8" x 13¹/2" 21 lbs.

Medium

6" x 10" x 8 31 lbs.

Small 6" x 6" x 8" 20 lbs.

Wall End

6" x 8" x 11" 36 lbs.



Medium 6" x 10" x 5" 19 lbs.

Small 6" x 6" x 5" 11 lbs.

Double-Sided Cap 3" x 7" x 13¹/2" / 3" x 8" x 13¹/2" 22 lbs

watkinsconcreteblock.com 16

Belgard® Brísa®

NATURAL

Retaining & Freestanding Wall System

Inspired by the look of natural limestone, this multi-piece retaining and freestanding wall system is remarkably versatile.

Arctic Gold

Heritage

Moonlight

6" Wall System Units:

REN Large 6" x 16" x 8" 52 lbs.

N

Accessory Units:

S. P. Instruction Cap End 3" x 8" x 13¹/₂" 21 lbs. Corner/Column 6" x 16³/4" x 8" 57 lbs.

1

Medium 6" x 10" x 8" 31 lbs.

JE S

品

Small 6" x 6" x 8" 20 lbs.

Wall End 6" x 8" x 11" 36 lbs.

Double-Sided Cap 3" x 7" x 13¹/2" / 3" x 8" x 13¹/2" 22 lbs.

4

Large 6" x 15" x 5" 28 lbs.

The state

Medium 6" x 10" x 5" 19 lbs.

Small 6" x 6" x 5' 11 lbs.




Belgard®

Tandem[®] Ashlar

Retaining & Freestanding Wall System

Tandem[®] Wall retaining wall system provides the appearance of natural stone that will complement any hardscape. The innovative, versatile system can be used to create attractive, curved or straight retaining and freestanding walls.



Belgard®


Tandem[®] Lamina

Retaining & Freestanding Wall System

AB CARACTER TAL

The innovative, versatile system can be used to create attractive, curved or straight retaining and freestanding walls. Great for use in a wide range of residential and light commercial hardscape projects.

141







Belgard® Weston Stone®

Wall System

Weston Stone[®] offers homeowners a cleaner, more sculpted look, particularly in environments that require a more traditional approach.





Base Block

This strong, lightweight block is a great foundation for use with rear-lipped Belgard® retaining wall products and for Anchor™ Freestanding wall systems.



U Start[™] Base Block 3½" x 16" x 12" 47 lbs.





66" Round Fire Pit Kit - 15" or 21" Tall

Includes blocks, pre-cut caps and metal ring.





48" Square Fire Pit Kit - 15" or 21" Tall

Includes blocks, pre-cut caps and metal ring.



Highland Stone® Kit

75" Rectangle Fire Pit Kit - 15" or 21" Tall

Includes blocks, pre-cut caps and metal ring.



Summit Stone® Kit

55" Round Fire Pit Kit - 12" Tall

Includes blocks and metal ring.







Pavers



ODE

Natural Collection

With an emphasis on texture, this collection mimics the finest elements Mother Nature has to offer.

Modern Collection

Sleek and simple, this collection will transform your space into a relaxing retreat that will soothe the soul.



Traditional Collection

Classic and timeless, this collection honors the past without sacrificing any style or comfort.



Environmental Collection

With innovative design features, this collection will handle all of your storm water management needs.





Concrete Paver (60mm / 2%")

Create picturesque outdoor living spaces with this multi-piece system that looks like natural stones pulled from the bed of a mountain creek.

Midnight Moonlight

AK A

7-Piece Variable



Concrete Paver (60mm / 2%")

Dublin Cobble[®] creates a casually elegant, time-worn look recalling the hand-laid stone of centuries-old Mediterranean villas.

Ashbury Haze

Aspen Blend

Black Diamond

Fossil Beige

DITION

3-Piece Modular 3" x 6" / 6" x 6" / 6" x 9"

1 1



Belgard® Holland Stone®

Concrete Paver (60mm / 2%")

With its simple shape and utilitarian appeal, Holland Stone[®] is a practical choice for residential and commercial installations.



Holland Stone 4" x 8"



Lafitt[™] Rustic Slab features the look and texture of cut slate combined with the lasting strength and staying power that are hallmarks of Belgard[®] pavers.







Belgard® Catalina/Irana®


Concrete Paver (60mm / 2%") with TextureGuard FacemixTM

The Catalina collection's crisp, clean lines and smooth, linear surface create a contemporary feel that's both eye-pleasing and comfortable.

Aspen Blend Cotswold Mist

3-Piece Modular 6" x 6" / 6" x 12" / 12" x 12"

30 / watkinsconcreteblock.com







Stan TM S

Concrete Paver (70mm / 2¾")

Afton[™] pavers offer a clean, stylish appearance to visually enhance and coordinate with any landscape. These pavers are suitable for driveways, walkways, patios and pool decks.

Mahogany

y Northwoods





Concrete Paver (70mm / 2¾")

Charleston[™] tumbled pavers have an appealing time-worn appearance and undulated surface.

Mahogany





4-Piece Modular 5½" x 5½" / 5½" x 8¼" 5½" x 11" / 8¼" x 11"









Concrete Paver (70mm / 2¾")

Elements Paving Stones[™] offer an elegant yet simple appearance that seamlessly integrates into any environment.

Timeless

29

 Rectangle
 Large Square

 12" x 24"
 24" x 24"



Tranquility® Pavers' clean lines create a crisp finished look. Tranquility Pavers are a perfect choice for any outdoor application, from high-energy gatherings to calm and restful retreats.





5-Piece Modular 4%" x 9%" / 9%" x 9%" / 9%" x 14" 14" x 14" / 9%" x 18%"


County Materials® *Jrand Discover*™

Concrete Paver (70mm / 2%)

Whether it's their modern vibe, imparted from the fine-finish smooth surface their simplicity of scale, Grand Discover™ Pavers offer larger paving stone that can be used alone or mixed and matched to maximize their impact.

Majestic Timeless

3-Piece Modular 8" x 16" / 16" x 16" 16" x 24"





Belgard® Mega Arbel®

Concrete Paver (60mm / 2¾") with True Color™ Technology

Mega Arbel[®] gives homeowners perfectly integrated, natural-looking hardscapes they desire with a similar look and scale to natural flagstone.

Ashbury Haze **Brittany Beige** Aspen Blend



Belgard® Urbana[®] Stone

Concrete Paver (60mm / 2%") with True Color™ Technology

Urbana[®] Stone's chiseled textures combined with random shapes and patterns to recall the look and feel of vintage cut stone.

Ashbury Haze

Aspen Blend

Brittany Beige

3-Piece Modular 4" x 8" / 8" x 8" / 8" x 12"



Belgard® Melville[™]Slab

Concrete Paver (60mm / 2%") with TextureGuard Facemix[™]

Melville[™] Slab offers a smooth face and clean lines to create a stylish, contemporary look with classic appeal.

Aspen Blend

Newport Gray

3-Piece Modular 7½" x 15" / 15" x 15" / 15" x 22½"

watkinsconcreteblock.com 40





15¾" x 23%'

The unique design of Turfstone[™] allows rainwater to be gradually filtered back into the soil naturally, resulting in the control and stabilization of soil erosion.

Natural

ENVIRONMI





URAL

Concrete Paver (80mm / 3%")

Essence[™] Wood Grain Plank Pavers offer the unmatched durability of concrete with authentic looking grain and textures found in weathered wood.

Timeless

5-Piece Modular 5%" x 9.6857" 5%" x 11%" / 5%" x 13%" 5%" x 17%" / 5%" x 17%"



Concrete Paver (80mm / 3%")

Influence[™] Pavers feature crisp edges and a clean linear feel. Their five plank-style shapes minimize joint lines and lend themselves to invent interesting patterns using different color and texture combinations.








Belgard® **Ilocal**®

Mirage[®] Porcelain Paver (19mm / ¾")

Mirage's clean-looking Glocal[®] porcelain stoneware collection offers a smooth concrete-like finish.







Mirage[®] Porcelain Paver (19mm / ¾")

The Verona™ line emulates a variety of natural stones to create distinctive outdoor living designs. Each available color was fashioned to closely mimic the specific natural qualities of a different quarried stone.

Square 23.54" x 23.54"


ITT I LUTIT DETETTE TTITITI FILIN

Think

TT

TTT

TTTTTTTTTT TTTTTTTTT TTTTTTT TTTTTT TTU





Belgard® **Quargiti[®] 2.0** Mirage[®] Porcelain Paver (19mm / ¾")


Quarziti[®] 2.0 is a stone-effect ceramic collection for flooring and covering solutions characterized by a shading effect that recreates the authentic diversity of natural elements.





Mirage[®] Porcelain Paver (19mm / ¾")

Warm and bursting with light, Noon[®] is a contemporary expression of the simple life. The natural warmth of wood restores the lively pace of a thrilling life to urban spaces.





Rectangle 7.80" x 47.17"

The local division of

Rectangle 11.73" x 47.17"





Pine Hall[®] genuine clay pavers are ideal for do-it-yourselfers who want to expand their home's outdoor livable space.

	Brookstown Red	Сосоа	Flash Red	Ironspot	Old Mill	Old Towne	Pathway Full Range
	(square edge)	(english edge)	(english edge)	(english edge)	(antique finish)	(antique finish)	(square edge)
X							
Š							
Ň							





Concrete (60mm / 2%") (70mm / 2%")

The smooth, rounded end of Bullnose Coping is best for finishing work on pool decks, stair treads and wall caps. Available in 3 different thicknesses for varying paver heights.




 60mm Bullnose
 70mm Bullnose

 6" x 12" x 2%"
 6" x 12" x 3%"

Belgard® Holland Stone®

Concrete Paver (60mm / 2%")



Holland Stone

Small Rectangle

Small Rectangle 5½" x 8¼"

> Rectangle 8" x 16"

Concrete Paver (60mm / 2³/[™]) with TextureGuard Facemix[™]



Cambray Tan

Charcoal

Midnight

Moonlight

Charleston[™] Tumbled & Afton[™]

Concrete Paver (70mm / 2¾")

County Materials®

Concrete Paver (70mm / 2¾")



Reflection

Vision





Tru-Scapes *Cighting* Tru-Scapes[®] Landscape Lighting operates with the mission to create a good quality LED landscape lighting product at an affordable cost.

Accent / Spot / Well Lights • for Plants, Trees, Houses & Landscape Features









TS B102 - 12V / 4.0W LED Accent Light Brass / Bronze TS B105 - 12V / 5.5W LED Accent Light Brass / Bronze TS B201 - 12V / 8.0W LED Well Light Brass / Bronze

TS B203 - 12V / 4.0W LED Well Light Brass / Bronze

Pathway Lights • for Pathways, Patio Edges & Flower Beds



TS B302 - 12V / 2.5W LED Path Light Brass / Bronze



TS B306 - 12V / 3.0W LED Path Light Brass / Bronze

Hardscape Lights • for Steps & Walls






TS A1000 - 12V / 1.4W LED Hardscape Light Stainless Steel / Bronze TS A2000 - 12V / 2.5W LED Hardscape Light Stainless Steel / Bronze




Retaining Wall Components

- 1. Foundation Soil
- 2. Leveling Pad
- 3. Base Course
- 4. Drainage Pipe
- 5. Retaining Wall Units
- 6. Filter Fabric
- 7. Drainage Aggregate
- 8. Adhesive
- 9. Cap Units
- 10. Top Soil/Grass



Speak with a Watkins Sales Associate for full installation instructions and guidelines.

Paver Patio Components








Business Hours

Monday - Frid	ау	7:00 am-5:00 pm
Saturdays	(during season)	8:00 am-12:00 pm
Sundays		Closed

Visit us online at: watkinsconcreteblock.com



Warranty Information

BELGARD HARDSCAPES LIFETIME TRANSFERABLE LIMITED WARRANTY

Oldcastle APG ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-936 and ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by ICPI. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. The original proof of purchase is required.

Oldcastle APG ("Belgard") offers a 10 year Limited Warranty on in its Satura[™] sealants.

This warranty is only valid if the material is installed under the guidelines of the ICPI, The NCMA or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Authorized Contractor who guarantees their workmanship for a minimum of 2 years from the date of install.

For paver or retaining wall warranty service, contact Belgard at 1-877-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard Product fails to meet the specifications, Belgard will replace the defective paver, retaining wall, or other hardscapes product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. SOME STATES DO NOT ALLOW FOR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

ANCHOR WALL SYSTEM LIMITED WARRANTY

Wall units sold under the "Anchor Wall Systems" brand are made by independent manufacturers according to specifications set by Anchor Wall Systems, Inc. ("AWS"). This limited warranty is the only warranty from AWS or its independent manufacturers applicable to these products.

For purposes of this limited warranty, the term "AWS Wall Units" encompasses: (1) the concrete units promoted and sold under the "Anchor Wall Systems" brand for use in the construction of earth - retaining walls or structures; (2) the concrete units promoted and sold under the "Anchor Wall Systems" brand for use in the construction of free-standing walls; (3) the base units, cap units, corner units, and column units promoted and sold under the "Anchor Wall Systems" brand; (4) AWS's LandingsTM step units; and (5) the concrete edger units promoted and sold under the "Anchor Wall Systems" brand .

AWS and its independent manufacturers warrant that, subject to the exceptions noted below, AWS Wall Units conform to the ASTM Standard Specification for Segmental Retaining Wall Units (ASTM C1372) at the time of their delivery to the original job (installation) site.

If AWS Wall Units do not conform to ASTM C1372 at that time, then, subject to the exceptions noted below, AWS and its independent who made the non-conforming units will supply replacement AWS Wall Units of the same style to the original installation site at no charge for the replacement AWS Wall Units or for their delivery.

Please note the following:

- Because AWS Wall Units are manufactured using mined materials, there may be color variations in these products from the same manufacturing run as well as in products from different runs. In addition, an efflorescence of whitish color may blossom from time-to-time on the surfaces of all concrete products, including AWS Wall Units, as a result of naturally occurring chemical reactions between them and their surrounding environment. Accordingly, no guarantee of color shades or freedom from efflorescence is made or implied.
- The warranty is voided if AWS Wall Units have been damaged due to handling, wall design, installation, contact with deleterious chemicals (such as deicers), earth shifts, or Acts of God.
- The only liability of AWS and its independent manufacturers for any breach of this warranty is to supply replacement AWS Wall Units to the original installation site, at no charge for the replacement units or for their delivery. Under no circumstances does AWS or its independent manufacturers have any obligation to remove nonconforming AWS Wall Units or to install the replacement units.
- If AWS and its independent manufacturers are unable or fail to supply replacement units when obligated to do so, their entire liability is limited to refunding the purchase price of the units.
- These remedies are the purchaser's exclusive remedies against AWS or its independent manufacturers for any breach of warranty concerning AWS Wall Units and these remedies will not be deemed to have failed of their essential purpose so long as AWS and its independent manufacturers are willing and able to replace any nonconforming products or to refund the purchase price.

All requests for warranty service should be directed to: Anchor Wall Systems, Inc., Attn: Warranty Service, 5909 Baker Road, Suite 550, Minneapolis, MN 55345.

FOR TRANSACTIONS IN WHICH THE PRODUCTS ARE NOT CONSUMER PRODUCTS WITHIN THE MEANING OF THE MAGNUSON-MOSS WARRANTY ACT, AWS AND ITS INDEPENDENT MANUFACTURERS DISCLAIM ANY AND ALL IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS, TO THE FULLEST EXTENT ALLOWED BY LAW. IN ALL OTHER TRANSACTIONS, THE DURATION OF ANY LIMITED WAR-RANTIES IS LIMITED TO THE FULLEST EXTENT ALLOWED BY LAW.

UNDER NO CIRCUMSTANCES ARE AWS OR ITS INDEPENDENT MANUFACTURES RESPONSIBLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (including, without limitation, the cost to remove nonconforming AWS Wall Units or to install replacement AWS Wall Units, loss of profits, harm to goodwill or business reputation, or delay damages) whether such claims are based in contract, warranty, negligence or strict tort. This exclusion applies even if the remedy stated above is deemed to have failed of its essential purpose.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

Unless modified in a writing signed by an officer of AWS, the limited warranty stated above is the only express warranty (whether written or oral) from AWS or its independent manufacturers that is applicable to AWS Wall Units and no one is authorized to otherwise modify or expand this warranty. The validity and interpretation of this warranty are governed by the internal laws (and not the law of conflicts) of the State of Minnesota.

This warranty gives you specific legal rights, and you also may have other rights that vary from state to state.

COUNTY MATERIALS CUSTOMER WARRANTY

County Materials Corporation's concrete pavers meet the requirements of applicable astm standard(s). County Materials warranties its concrete pavers against manufacturing defects for the period of your residential home ownership. for commercial projects, county materials warranties its concrete pavers against manufacturing defects for 5 years after substantial completion of the project. This warranty is non-transferable. This limited warranty does not apply to damage caused by improper storage, abrasion, overloading, or misuse, such as delamination, splitting, chipping, or staining. This limited warranty applies only if the products are installed as directed by the icpi (www.icpi.org) and County Materials' applicable installation guidelines. improper installation voids this limited warranty. The original proof of purchase is necessary. Color matching cannot be guaranteed. The foregoing limited warranty is in lieu of and excludes all other written or oral warranties, including the implied warranty is of fitness for a particular purpose and merchantability. Customer's exclusive remedy for breach of the above limited to county materials' libaility for breach of the above limited warranty shall not exceed the price of the products actually received by customer and does not include replacement labor, consequential damages, or incidental damages.





©2021 Watkins Concrete Block Company. The logos, slogans, product names, photography and other trademarks shown in this document are trademarks of Watkins Concrete Block Company, Anchor Wall Systems, Inc., Belgard, County Materials or Tru-Scapes Lighting. Watkins Concrete Block Company is a licensed manufacturer of Anchor Wall Systems products.

Watkins Concrete Block 144th & Giles Omaha, NE 68138

Phone: (402) 896-0900 Fax: (402) 896-8611

watkinsconcreteblock.com

A NEBCO COMPANY 🕏