












## **Table of Contents**


5	Dublin Cobble®	37
6	Holland Stone®	38
7	Urbana <sup>®</sup> Stone	39
8	Mega Arbel®	40
9	Grand Fusion <sup>™</sup>	42
10	Discover™	43
11	Grand Discover <sup>™</sup>	44
12	Grand Discover XL <sup>™</sup>	45
13	Grand Tranquility® Pavers	46
14	Vantage®	47
15	Turfstone <sup>™</sup>	48
16	Pine Hall®	49
17	Mirage® - Glocal®	50
18	Mirage® - Noon®	51
19	Mirage® - Quarziti® 2.0	52
20	Mirage® - Unico®	53
21	Bullnose Coping & Border Options	54
22	Landscape Lighting - Tru-Scapes®	56
24	Installation, Restoration, Protection	58
26	Retaining Wall & Paver Patio Components	60
31	Design Studio	62
32	Inspiration Pages	64
33	Dealer Info	68
34	Warranty Information	69
35		
36		
	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 26 31 32 33 34 35	6 Holland Stone® 7 Urbana® Stone 8 Mega Arbel® 9 Grand Fusion™ 10 Discover™ 11 Grand Discover™ 12 Grand Discover XL™ 13 Grand Tranquility® Pavers 14 Vantage® 15 Turfstone™ 16 Pine Hall® 17 Mirage® - Glocal® 18 Mirage® - Noon® 19 Mirage® - Quarziti® 2.0 20 Mirage® - Unico® 21 Bullnose Coping & Border Options 22 Landscape Lighting - Tru-Scapes® 24 Installation, Restoration, Protection 26 Retaining Wall & Paver Patio Components 31 Design Studio 32 Inspiration Pages 33 Dealer Info 34 Warranty Information


Products, colors and sizes may change throughout the year. Colors shown in this catalog may vary from actual product. Please speak with a sales associate for the latest in products and options.













































































































































#### **Prosocco Products** • Cleaners & Sealers



Sureklean Custom Masonry Cleaner Removes efflorescence, mortar, and rust spots.



Paver Enhancer Solvent based color enhancer.



**Saltguard** Salt barrier sealant.



Natural Stone Treatment Water repellent sealant for natural stone products.

## **Techniseal Products** • Cleaners & Sealers



Paver Prep
Paver Prep dislodges efflorescence
and pre-seal preparator.



WL-87
3-in-1 Sealant, semi-gloss finish wetlook sealer and sand joint stablizer.

## **Techniseal Products** • Polymeric Joint Sands



NOCO - Desert Tan
"No Compaction" polymeric joint sand.



NOCO - Iron Gray
"No Compaction" polymeric joint sand.

## **Techniseal Products** • Polymeric Joint Sands cont.



HP NextGel - Prairie Tan High performance polymeric joint sand.



HP NextGel - Prairie Gray
High performance polymeric joint sand.




HP NextGel - Urban Gray
High performance polymeric joint sand.



**Edge Bond**Polymer-modified hardscape concrete edging.


# **Retaining Wall Components**

- 1. Foundation Soil
- 2. Leveling Pad
- 3. Base Course
- 4. Drainage Pipe
- 5. Retaining Wall Units
- 6. Filter Fabric
- 7. Drainage Aggregate
- 8. Adhesive
- 9. Cap Units
- 10. Top Soil/Grass



Speak with a local dealer for full installation instructions and guidelines.

# Paver Patio Components



# DESIGNING YOUR PROJECT JUST GOT A WHOLE LOT EASIER

The Watkins Design Studio offers a 3D design experience that will make your next project easier than ever. Whether you have a vision, or need a little guidance, our expert design staff will build your project in a digital space, allow you to envision the final product before work ever begins!

**DESIGN** 

Our expert design staff will work closely with you to build a 3D design concept of your project. Once the design has been finalized, a final meeting here in our showroom is recommended to make your material selections.

INSTALL

Armed with the design you love, it's time to get installation quotes. Although we do not install the work ourselves, we can help you find the right contractor for the job.

**ENJOY** 


The dust has settled, and you now have the beautiful backyard you have always dreamed of! There is nothing left but enjoy the space with friends and family and make new memories that will last a lifetime!

For more information, visit:

watkinsconreteblock.com/design















## **Dealer Info**

## **Concrete Block**

Omaha, NE 68138 Phone: (402) 896-0900 Fax: (402) 896-8611 watkinsconcreteblock.com

### Reimers-Kaufman **Concrete Products**

6200 Cornhusker Hwy Lincoln, NE 68507 Phone: (402) 434-1855 Fax: (402) 434-1877 reimerskaufman.com

## **Christensen Concrete Products Company**

3990 W US Hwy 30 Grand Island, NE 68803 Phone: (308) 384-7030 Fax: (308) 384-7031

### Kearney Crete & Block

2908 US-30 Kearny, NE 68847 Phone: (308) 237-3126 Fax: (308) 234-5310 kearneycreteandblock.com

## Warranty Information

#### BELGARD HARDSCAPES LIFETIME TRANSFERABLE LIMITED WARRANTY

Oldcastle APG ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by ICPI. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. The original proof of purchase is required.

Oldcastle APG ("Belgard") offers a 10 year Limited Warranty on in its Satura™ sealants.

This warranty is only valid if the material is installed under the guidelines of the ICPI, The NCMA or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Authorized Contractor who guarantees their workmanship for a minimum of 2 years from the date of install.

For paver or retaining wall warranty service, contact Belgard at 1-877-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard Product fails to meet the specifications, Belgard will replace the defective paver, retaining wall, or other hardscapes product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. SOME STATES DO NOT ALLOW FOR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

#### ANCHOR WALL SYSTEM LIMITED WARRANTY

Wall units sold under the "Anchor Wall Systems" brand are made by independent manufacturers according to specifications set by Anchor Wall Systems, Inc. ("AWS"). This limited warranty is the only warranty from AWS or its independent manufacturers applicable to these products.

For purposes of this limited warranty, the term "AWS Wall Units" encompasses: (1) the concrete units promoted and sold under the "Anchor Wall Systems" brand for use in the construction of earth - retaining walls or structures; (2) the concrete units promoted and sold under the "Anchor Wall Systems" brand for use in the construction of free-standing walls; (3) the base units, cap units, corner units, and column units promoted and sold under the "Anchor Wall Systems" brand; (4) AWS's Landings" step units; and (5) the concrete edger units promoted and sold under the "Anchor Wall Systems" brand.

AWS and its independent manufacturers warrant that, subject to the exceptions noted below, AWS Wall Units conform to the ASTM Standard Specification for Segmental Retaining Wall Units (ASTM C1372) at the time of their delivery to the original job (installation) site.

If AWS Wall Units do not conform to ASTM C1372 at that time, then, subject to the exceptions noted below, AWS and its independent who made the non-conforming units will supply replacement AWS Wall Units of the same style to the original installation site at no charge for the replacement AWS Wall Units or for their delivery.

Please note the following:

- Because AWS Wall Units are manufactured using mined materials, there may be color variations in these products from the same manufacturing run as well as in products from different runs. In addition, an efflorescence of whitish color may blossom from time-to-time on the surfaces of all concrete products, including AWS Wall Units, as a result of naturally occurring chemical reactions between them and their surrounding environment. Accordingly, no guarantee of color shades or freedom from efflorescence is made or implied.
- The warranty is voided if AWS Wall Units have been damaged due to handling, wall design, installation, contact with deleterious chemicals (such as deicers), earth shifts, or Acts of God.
- The only liability of AWS and its independent manufacturers for any breach of this warranty is to supply replacement AWS Wall Units to the original installation site, at no charge for the replacement units or for their delivery. Under no circumstances does AWS or its independent manufacturers have any obligation to remove nonconforming AWS Wall Units or to install the replacement units.
- If AWS and its independent manufacturers are unable or fail to supply replacement units when obligated to do so, their entire liability is limited to refunding the purchase price of the units.
- These remedies are the purchaser's exclusive remedies against AWS or its independent manufacturers for any breach of warranty concerning AWS Wall Units and these remedies will not be deemed to have failed of their essential purpose so long as AWS and its independent manufacturers are willing and able to replace any nonconforming products or to refund the purchase price.

All requests for warranty service should be directed to: Anchor Wall Systems, Inc., Attn: Warranty Service, 5909 Baker Road, Suite 550, Minneapolis, MN 55345.

FOR TRANSACTIONS IN WHICH THE PRODUCTS ARE NOT CONSUMER PRODUCTS WITHIN THE MEANING OF THE MAGNUSON-MOSS WARRANTY ACT, AWS AND ITS INDEPENDENT MANUFACTURERS DISCLAIM ANY AND ALL IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS, TO THE FULLEST EXTENT ALLOWED BY LAW. IN ALL OTHER TRANSACTIONS, THE DURATION OF ANY LIMITED WARRANTIES IS LIMITED TO THE FULLEST EXTENT ALLOWED BY LAW.

UNDER NO CIRCUMSTANCES ARE AWS OR ITS INDEPENDENT MANUFACTURES RESPONSIBLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES (including, without limitation, the cost to remove nonconforming AWS Wall Units or to install replacement AWS Wall Units, loss of profits, harm to goodwill or business reputation, or delay damages) whether such claims are based in contract, warranty, negligence or strict tort. This exclusion applies even if the remedy stated above is deemed to have failed of its essential purpose.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

Unless modified in a writing signed by an officer of AWS, the limited warranty stated above is the only express warranty (whether written or oral) from AWS or its independent manufacturers that is applicable to AWS Wall Units and no one is authorized to otherwise modify or expand this warranty. The validity and interpretation of this warranty are governed by the internal laws (and not the law of conflicts) of the State of Minnesota.

This warranty gives you specific legal rights, and you also may have other rights that vary from state to state.

#### COUNTY MATERIALS CUSTOMER WARRANTY

County Materials Corporation's concrete pavers meet the requirements of applicable astm standard(s). County Materials warranties its concrete pavers against manufacturing defects for the period of your residential home ownership. for commercial projects, county materials warranties its concrete pavers against manufacturing defects for 5 years after substantial completion of the project. This warranty is non-transferable. This limited warranty does not apply to damage caused by improper storage, abrasion, overloading, or misuse, such as delamination, splitting, chipping, or staining. This limited warranty applies only if the products are installed as directed by the icpi (www.icpi.org) and County Materials' applicable installation guidelines. improper installation voids this limited warranty. The original proof of purchase is necessary. Color matching cannot be guaranteed. The foregoing limited warranty is in lieu of and excludes all other written or or all warranties, including the implied warranties of fitness for a particular purpose and merchantability. Customer's exclusive remedy for breach of the above limited warranty is limited to county materials replacing the products at no cost to the original customer. County Materials' libaility for breach of the above limited warranty shall not exceed the price of the products actually received by customer and does not include replacement labor, consequential damages, or incidental damages.

